

# A MATHEMATICAL TEMPLATE

---

*For Mathematical Peoples*

First Edition



---

# PREFACE

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus

sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consecetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

---

# CONTENTS

<b>Preface</b>	<b>3</b>
<b>Contents</b>	<b>5</b>
<b>List of Figures</b>	<b>9</b>
<b>List of Tables</b>	<b>11</b>
<b>I First part</b>	<b>13</b>
<b>1 Black-Scholes Model for Pricing Call and Put Options</b>	<b>15</b>
1 Assumptions of the Black-Scholes Model . . . . .	16
2 Derivation of the Black-Scholes Equation . . . . .	16
3 Solution to the Black-Scholes Equation for Call Options . . . . .	17
4 Solution to the Black-Scholes Equation for Put Options . . . . .	18
5 Greeks in the Black-Scholes Model . . . . .	18
5.1 Delta . . . . .	18
5.2 Gamma . . . . .	18
5.3 Theta . . . . .	19
5.4 Vega . . . . .	19
5.5 Rho . . . . .	19
6 Numerical Examples . . . . .	19
7 Conclusion . . . . .	19
<b>2 Black-Scholes Model for Pricing Call and Put Options</b>	<b>21</b>
1 Assumptions of the Black-Scholes Model . . . . .	22
2 Derivation of the Black-Scholes Equation . . . . .	22
3 Solution to the Black-Scholes Equation for Call Options . . . . .	23
4 Solution to the Black-Scholes Equation for Put Options . . . . .	24
5 Greeks in the Black-Scholes Model . . . . .	24
5.1 Delta . . . . .	24
5.2 Gamma . . . . .	24
5.3 Theta . . . . .	25
5.4 Vega . . . . .	25
5.5 Rho . . . . .	25
6 Numerical Examples . . . . .	25
7 Conclusion . . . . .	25
<b>3 Black-Scholes Model for Pricing Call and Put Options</b>	<b>27</b>

1	Assumptions of the Black-Scholes Model . . . . .	28
2	Derivation of the Black-Scholes Equation . . . . .	28
3	Solution to the Black-Scholes Equation for Call Options . . . . .	29
4	Solution to the Black-Scholes Equation for Put Options . . . . .	30
5	Greeks in the Black-Scholes Model . . . . .	30
5.1	Delta . . . . .	30
5.2	Gamma . . . . .	30
5.3	Theta . . . . .	31
5.4	Vega . . . . .	31
5.5	Rho . . . . .	31
6	Numerical Examples . . . . .	31
7	Conclusion . . . . .	31

## **II Second part 33**

### **1 Black-Scholes Model for Pricing Call and Put Options 35**

1	Assumptions of the Black-Scholes Model . . . . .	36
2	Derivation of the Black-Scholes Equation . . . . .	36
3	Solution to the Black-Scholes Equation for Call Options . . . . .	37
4	Solution to the Black-Scholes Equation for Put Options . . . . .	38
5	Greeks in the Black-Scholes Model . . . . .	38
5.1	Delta . . . . .	38
5.2	Gamma . . . . .	38
5.3	Theta . . . . .	39
5.4	Vega . . . . .	39
5.5	Rho . . . . .	39
6	Numerical Examples . . . . .	39
7	Conclusion . . . . .	39

### **2 Black-Scholes Model for Pricing Call and Put Options 41**

1	Assumptions of the Black-Scholes Model . . . . .	42
2	Derivation of the Black-Scholes Equation . . . . .	42
3	Solution to the Black-Scholes Equation for Call Options . . . . .	43
4	Solution to the Black-Scholes Equation for Put Options . . . . .	44
5	Greeks in the Black-Scholes Model . . . . .	44
5.1	Delta . . . . .	44
5.2	Gamma . . . . .	44
5.3	Theta . . . . .	45
5.4	Vega . . . . .	45
5.5	Rho . . . . .	45
6	Numerical Examples . . . . .	45
7	Conclusion . . . . .	45

### **3 Black-Scholes Model for Pricing Call and Put Options 47**

1	Assumptions of the Black-Scholes Model . . . . .	48
2	Derivation of the Black-Scholes Equation . . . . .	48

3	Solution to the Black-Scholes Equation for Call Options . . . . .	49
4	Solution to the Black-Scholes Equation for Put Options . . . . .	50
5	Greeks in the Black-Scholes Model . . . . .	50
5.1	Delta . . . . .	50
5.2	Gamma . . . . .	50
5.3	Theta . . . . .	51
5.4	Vega . . . . .	51
5.5	Rho . . . . .	51
6	Numerical Examples . . . . .	51
7	Conclusion . . . . .	51
 <b>III Third part</b>		<b>53</b>
<b>1</b>	<b>Black-Scholes Model for Pricing Call and Put Options</b>	<b>55</b>
1	Assumptions of the Black-Scholes Model . . . . .	56
2	Derivation of the Black-Scholes Equation . . . . .	56
3	Solution to the Black-Scholes Equation for Call Options . . . . .	57
4	Solution to the Black-Scholes Equation for Put Options . . . . .	58
5	Greeks in the Black-Scholes Model . . . . .	58
5.1	Delta . . . . .	58
5.2	Gamma . . . . .	58
5.3	Theta . . . . .	59
5.4	Vega . . . . .	59
5.5	Rho . . . . .	59
6	Numerical Examples . . . . .	59
7	Conclusion . . . . .	59
<b>2</b>	<b>Black-Scholes Model for Pricing Call and Put Options</b>	<b>61</b>
1	Assumptions of the Black-Scholes Model . . . . .	62
2	Derivation of the Black-Scholes Equation . . . . .	62
3	Solution to the Black-Scholes Equation for Call Options . . . . .	63
4	Solution to the Black-Scholes Equation for Put Options . . . . .	64
5	Greeks in the Black-Scholes Model . . . . .	64
5.1	Delta . . . . .	64
5.2	Gamma . . . . .	64
5.3	Theta . . . . .	65
5.4	Vega . . . . .	65
5.5	Rho . . . . .	65
6	Numerical Examples . . . . .	65
7	Conclusion . . . . .	65
<b>3</b>	<b>Black-Scholes Model for Pricing Call and Put Options</b>	<b>67</b>
1	Assumptions of the Black-Scholes Model . . . . .	68
2	Derivation of the Black-Scholes Equation . . . . .	68
3	Solution to the Black-Scholes Equation for Call Options . . . . .	69
4	Solution to the Black-Scholes Equation for Put Options . . . . .	70

---

5	Greeks in the Black-Scholes Model . . . . .	70
5.1	Delta . . . . .	70
5.2	Gamma . . . . .	70
5.3	Theta . . . . .	71
5.4	Vega . . . . .	71
5.5	Rho . . . . .	71
6	Numerical Examples . . . . .	71
7	Conclusion . . . . .	71
	<b>Bibliography</b>	<b>73</b>



---

# LIST OF FIGURES



---

# LIST OF TABLES



# Part I

## First part



---

---

# CHAPTER 1

---

## BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	16
2	Derivation of the Black-Scholes Equation . . . . .	16
3	Solution to the Black-Scholes Equation for Call Options . .	17
4	Solution to the Black-Scholes Equation for Put Options . .	18
5	Greeks in the Black-Scholes Model . . . . .	18
6	Numerical Examples . . . . .	19
7	Conclusion . . . . .	19

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

## 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

### Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

## 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (1.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

### Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

### Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (1.2)$$



***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (1.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (1.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (1.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (1.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (1.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (1.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (1.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (1.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (1.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (1.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (1.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (1.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (1.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (1.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (1.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:

$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (1.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (1.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (1.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (1.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (1.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (1.23)$$

## 6 Numerical Examples

### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.



---

---

## CHAPTER 2

---

# BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	22
2	Derivation of the Black-Scholes Equation . . . . .	22
3	Solution to the Black-Scholes Equation for Call Options . .	23
4	Solution to the Black-Scholes Equation for Put Options . .	24
5	Greeks in the Black-Scholes Model . . . . .	24
6	Numerical Examples . . . . .	25
7	Conclusion . . . . .	25

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

## 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

### Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

## 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (2.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

### Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

### Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (2.2)$$

***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (2.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (2.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (2.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (2.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (2.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (2.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (2.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (2.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (2.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (2.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (2.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (2.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (2.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (2.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (2.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:



$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (2.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (2.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (2.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (2.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (2.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (2.23)$$

## 6 Numerical Examples

### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.



---

---

## CHAPTER 3

---

# BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	28
2	Derivation of the Black-Scholes Equation . . . . .	28
3	Solution to the Black-Scholes Equation for Call Options . .	29
4	Solution to the Black-Scholes Equation for Put Options . .	30
5	Greeks in the Black-Scholes Model . . . . .	30
6	Numerical Examples . . . . .	31
7	Conclusion . . . . .	31

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

## 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

### Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

## 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (3.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

### Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

### Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (3.2)$$

***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (3.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (3.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (3.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (3.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (3.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (3.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (3.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (3.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (3.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (3.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (3.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (3.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (3.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (3.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (3.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:

$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (3.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (3.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (3.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (3.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (3.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (3.23)$$

## 6 Numerical Examples

#### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.





## Part II

### Second part



---

---

# CHAPTER 1

---

## BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	36
2	Derivation of the Black-Scholes Equation . . . . .	36
3	Solution to the Black-Scholes Equation for Call Options . .	37
4	Solution to the Black-Scholes Equation for Put Options . .	38
5	Greeks in the Black-Scholes Model . . . . .	38
6	Numerical Examples . . . . .	39
7	Conclusion . . . . .	39

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

## 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

### Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

## 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (1.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

### Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

### Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (1.2)$$

***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (1.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (1.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (1.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (1.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (1.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (1.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (1.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (1.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (1.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (1.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (1.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (1.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (1.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (1.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (1.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:

$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (1.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (1.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (1.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (1.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (1.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (1.23)$$

## 6 Numerical Examples

### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.





---

---

## CHAPTER 2

---

# BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	42
2	Derivation of the Black-Scholes Equation . . . . .	42
3	Solution to the Black-Scholes Equation for Call Options . .	43
4	Solution to the Black-Scholes Equation for Put Options . .	44
5	Greeks in the Black-Scholes Model . . . . .	44
6	Numerical Examples . . . . .	45
7	Conclusion . . . . .	45

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

# 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

## Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

# 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (2.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

## Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

## Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (2.2)$$

***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (2.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (2.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (2.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (2.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (2.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (2.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (2.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (2.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (2.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (2.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (2.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (2.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (2.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (2.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (2.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:

$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (2.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (2.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (2.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (2.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (2.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (2.23)$$

## 6 Numerical Examples

### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.



---

---

## CHAPTER 3

---

# BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	48
2	Derivation of the Black-Scholes Equation . . . . .	48
3	Solution to the Black-Scholes Equation for Call Options . .	49
4	Solution to the Black-Scholes Equation for Put Options . .	50
5	Greeks in the Black-Scholes Model . . . . .	50
6	Numerical Examples . . . . .	51
7	Conclusion . . . . .	51

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

## 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

### Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

## 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (3.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

### Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

### Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (3.2)$$



***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (3.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (3.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (3.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (3.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (3.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (3.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (3.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (3.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (3.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (3.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (3.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (3.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (3.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (3.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (3.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:

$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (3.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (3.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (3.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (3.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (3.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (3.23)$$

## 6 Numerical Examples

#### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.



## Part III

### Third part



---

---

# CHAPTER 1

---

## BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	56
2	Derivation of the Black-Scholes Equation . . . . .	56
3	Solution to the Black-Scholes Equation for Call Options . .	57
4	Solution to the Black-Scholes Equation for Put Options . .	58
5	Greeks in the Black-Scholes Model . . . . .	58
6	Numerical Examples . . . . .	59
7	Conclusion . . . . .	59

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

## 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

### Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

## 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (1.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

### Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

### Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (1.2)$$



***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (1.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (1.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (1.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (1.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (1.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (1.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (1.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (1.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (1.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (1.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (1.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (1.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (1.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (1.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (1.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:

$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (1.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (1.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (1.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (1.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (1.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (1.23)$$

## 6 Numerical Examples

#### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.



---

---

## CHAPTER 2

---

# BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	62
2	Derivation of the Black-Scholes Equation . . . . .	62
3	Solution to the Black-Scholes Equation for Call Options . .	63
4	Solution to the Black-Scholes Equation for Put Options . .	64
5	Greeks in the Black-Scholes Model . . . . .	64
6	Numerical Examples . . . . .	65
7	Conclusion . . . . .	65

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

## 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

### Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

## 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (2.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

### Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

### Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (2.2)$$

***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (2.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (2.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (2.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (2.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (2.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (2.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (2.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (2.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (2.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (2.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (2.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (2.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (2.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (2.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (2.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:



$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (2.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (2.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (2.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (2.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (2.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (2.23)$$

## 6 Numerical Examples

### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.



---

---

## CHAPTER 3

---

# BLACK-SCHOLES MODEL FOR PRICING CALL AND PUT OPTIONS

1	Assumptions of the Black-Scholes Model . . . . .	68
2	Derivation of the Black-Scholes Equation . . . . .	68
3	Solution to the Black-Scholes Equation for Call Options . .	69
4	Solution to the Black-Scholes Equation for Put Options . .	70
5	Greeks in the Black-Scholes Model . . . . .	70
6	Numerical Examples . . . . .	71
7	Conclusion . . . . .	71

The Black-Scholes model is a mathematical model for pricing an options contract. The model was developed by Fischer Black, Myron Scholes, and Robert Merton in the early 1970s and is a cornerstone of modern financial theory. The Black-Scholes model provides a closed-form solution for the price of European call and put options.

## 1 Assumptions of the Black-Scholes Model

The Black-Scholes model is based on several assumptions:

### Assumption 1.1: The assumptions of Black-Scholes model

1. The stock price follows a geometric Brownian motion with constant drift and volatility.
2. There are no arbitrage opportunities.
3. The markets are frictionless, with no transaction costs or taxes.
4. The risk-free interest rate is constant and known.
5. The options can only be exercised at expiration (European options).

## 2 Derivation of the Black-Scholes Equation

The derivation of the Black-Scholes equation involves the use of Ito's Lemma and the concept of a risk-neutral portfolio. Consider a stock whose price  $S(t)$  follows the stochastic differential equation:

$$dS = \mu S dt + \sigma S dW \quad (3.1)$$

where:

- $\mu$  is the drift rate of the stock.
- $\sigma$  is the volatility of the stock.
- $W$  is a Wiener process or Brownian motion.

### Definition 2.1: Call and Put Options

- **Call Option:** Gives the holder the right (but not the obligation) to buy an asset at a predefined date and price (strike price).
- **Put Option:** Gives the holder the right (but not the obligation) to sell an asset at a predefined date and price (strike price).

Under the black and scholes assumptions we the PDE of the price of an European Call :

### Theorem 2.2: Black and Scholes PDE

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC \quad (3.2)$$

***Proof for Theorem.***

Using Ito's Lemma we get :

$$dC = \frac{\partial C}{\partial t} dt + \frac{\partial C}{\partial S} dS + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 dt \quad (3.3)$$

Substituting  $dS$  into the equation, we get:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (3.4)$$

This can be rearranged to:

$$dC = \left( \frac{\partial C}{\partial t} + \frac{\partial C}{\partial S} \mu S + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt + \frac{\partial C}{\partial S} \sigma S dW \quad (3.5)$$

We form a risk-free portfolio by holding a position in the stock and an option. The change in the value of the portfolio is:

$$\Pi = -C + \Delta S \quad (3.6)$$

The change in the portfolio value is:

$$d\Pi = -dC + \Delta dS \quad (3.7)$$

Substituting  $dC$  and  $dS$ , and choosing  $\Delta = \frac{\partial C}{\partial S}$ , we get:

$$d\Pi = - \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) dt \quad (3.8)$$

For the portfolio to be risk-free,  $d\Pi$  must earn the risk-free rate  $r$ :

$$- \left( \frac{\partial C}{\partial t} + \frac{1}{2} \frac{\partial^2 C}{\partial S^2} \sigma^2 S^2 \right) = r \left( -C + \frac{\partial C}{\partial S} S \right) \quad (3.9)$$

Simplifying, we get the Black-Scholes partial differential equation:

$$\frac{\partial C}{\partial t} + rS \frac{\partial C}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 C}{\partial S^2} = rC$$

### 3 Solution to the Black-Scholes Equation for Call Options

To solve the Black-Scholes equation, we apply the boundary condition for a European call option:

$$C(S, T) = \max(S_T - K, 0) \quad (3.10)$$

where  $K$  is the strike price and  $T$  is the time to expiration.

Using the method of transforming variables, we obtain the solution for a call option:

**Theorem 3.1: Black and Scholes formulas**

The price of a call under black and scholes model is :

$$C(S, t) = S\Phi(d_1) - Ke^{-r(T-t)}\Phi(d_2) \quad (3.11)$$

where:

$$d_1 = \frac{\ln\left(\frac{S}{K}\right) + \left(r + \frac{\sigma^2}{2}\right)(T-t)}{\sigma\sqrt{T-t}} \quad (3.12)$$

$$d_2 = d_1 - \sigma\sqrt{T-t} \quad (3.13)$$

and  $\Phi$  is the cumulative distribution function of the standard normal distribution.

*Proof for Theorem.*

■ Left exercise for reader. ■

## 4 Solution to the Black-Scholes Equation for Put Options

Similarly, for a European put option, the boundary condition is:

$$P(S, T) = \max(K - S_T, 0) \quad (3.14)$$

The solution for a put option is given by:

$$P(S, t) = Ke^{-r(T-t)}\Phi(-d_2) - S\Phi(-d_1) \quad (3.15)$$

## 5 Greeks in the Black-Scholes Model

The Greeks are sensitivities of the option price to various factors:

### 5.1 Delta

Delta measures the sensitivity of the option price to changes in the underlying asset price:

$$\Delta_C = \frac{\partial C}{\partial S} = \Phi(d_1) \quad (3.16)$$

$$\Delta_P = \frac{\partial P}{\partial S} = \Phi(d_1) - 1 \quad (3.17)$$

### 5.2 Gamma

Gamma measures the sensitivity of delta to changes in the underlying asset price:

$$\Gamma = \frac{\partial^2 C}{\partial S^2} = \frac{\Phi'(d_1)}{S\sigma\sqrt{T-t}} \quad (3.18)$$

### 5.3 Theta

Theta measures the sensitivity of the option price to the passage of time:

$$\Theta_C = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} - rKe^{-r(T-t)}\Phi(d_2) \quad (3.19)$$

$$\Theta_P = -\frac{S\Phi'(d_1)\sigma}{2\sqrt{T-t}} + rKe^{-r(T-t)}\Phi(-d_2) \quad (3.20)$$

### 5.4 Vega

Vega measures the sensitivity of the option price to changes in volatility:

$$\nu = \frac{\partial C}{\partial \sigma} = \frac{\partial P}{\partial \sigma} = S\sqrt{T-t}\Phi'(d_1) \quad (3.21)$$

### 5.5 Rho

Rho measures the sensitivity of the option price to changes in the risk-free interest rate:

$$\rho_C = K(T-t)e^{-r(T-t)}\Phi(d_2) \quad (3.22)$$

$$\rho_P = -K(T-t)e^{-r(T-t)}\Phi(-d_2) \quad (3.23)$$

## 6 Numerical Examples

### *Example : Call Option Pricing*

Consider a European call option with  $S = 100$ ,  $K = 100$ ,  $r = 0.05$ ,  $\sigma = 0.2$ , and  $T = 1$  year. Using the Black-Scholes formula, we calculate the call option price. ■

## 7 Conclusion

The Black-Scholes model is a fundamental tool in financial markets for pricing options. It provides insights into the behavior of option prices and the factors that affect them. Understanding the model and its derivations is crucial for anyone involved in finance.





---

# BIBLIOGRAPHY

---

**Black et al.: The Pricing of Options and Corporate Liabilities** **BlackScholes**

---

Fischer Black and Myron Scholes. “The Pricing of Options and Corporate Liabilities”. In: *Journal of Political Economy* 81.3 (1973), pp. 637–654.

**Merton: Theory of Rational Option Pricing** **Merton**

---

Robert Merton. “Theory of Rational Option Pricing”. In: *The Bell Journal of Economics and Management Science* 4.1 (1973), pp. 141–183.

**Hull: Options, Futures, and Other Derivatives** **Hull**

---

John Hull. *Options, Futures, and Other Derivatives*. 9th ed. Pearson, 2017.